

# Package: logib (via r-universe)

December 21, 2024

**Type** Package

**Title** Salary Analysis by the Swiss Federal Office for Gender Equality

**Version** 0.2.0.9000

**Description** Implementation of the Swiss Confederation's standard analysis model for salary analyses  
<<https://www.ebg.admin.ch/en/equal-pay-analysis-with-logib>> in R. The analysis is run at company-level and the model is intended for medium-sized and large companies. It can technically be used with 50 or more employees (apprentices, trainees/interns and expats are not included in the analysis). Employees with at least 100 employees are required by the Gender Equality Act to conduct an equal pay analysis. This package allows users to run the equal salary analysis in R, providing additional transparency with respect to the methodology and simple automation possibilities.

**License** GPL (>= 3)

**Depends** R (>= 3.1)

**Encoding** UTF-8

**LazyData** true

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.2

**Imports** lubridate, readxl, stats, utils

**Suggests** testthat

**URL** <https://github.com/admin-ebg/logib>

**BugReports** <https://github.com/admin-ebg/logib/issues>

**Repository** <https://admin-ebg.r-universe.dev>

**RemoteUrl** <https://github.com/admin-ebg/logib>

**RemoteRef** HEAD

**RemoteSha** 939f910e55391719b4ddf2566d4e3af03a4e9892

## Contents

all_column_names . . . . .	2
analysis . . . . .	2
build_custom_mapping . . . . .	4
datalist_example . . . . .	4
download_datalist . . . . .	5
download_example_datalist . . . . .	6
read_data . . . . .	6
summary.analysis_model . . . . .	7
transform_data . . . . .	8

<b>Index</b>	<b>10</b>
--------------	-----------

---

all_column_names	<i>Column names</i>
------------------	---------------------

---

### Description

List of column names used in the code, from the datalist and exportfiles in all four languages (de, fr, it, en)

### Usage

all\_column\_names

### Format

An object of class list of length 3.

---

analysis	<i>Run a Salary Analysis</i>
----------	------------------------------

---

### Description

Runs a salary analysis according to the Swiss standard analysis model

### Usage

```
analysis(
  data,
  reference_month,
  reference_year,
  usual_weekly_hours = NULL,
  female_spec = "F",
  male_spec = "M",
  age_spec = NULL,
  entry_date_spec = NULL
)
```

**Arguments**

<code>data</code>	a data.frame of employees as produced by <code>read_data</code>
<code>reference_month</code>	an integer representing the reference month, i.e. the month for which we analyze the salaries
<code>reference_year</code>	an integer representing the reference year, i.e. the year for which we analyze the salaries
<code>usual_weekly_hours</code>	an optional numeric representing the usual weekly working hours (missing values in <code>weekly_hours</code> are replaced by <code>usual_weekly_hours</code> ; if NULL, the missing values are not replaced)
<code>female_spec</code>	an optional string or numeric representing the way women are encoded in the data
<code>male_spec</code>	an optional string or numeric representing the way men are encoded in the data
<code>age_spec</code>	an optional string to specify the way age is encoded in the data (NULL will try to automatically infer the age format, "age" implies that the age is specified as the age of a person, "birthyear" implies that the age is specified as the year of birth of a person, and "birthdate" implies that the age is specified as the date of birth of a person)
<code>entry_date_spec</code>	an optional string to specify the way <code>entry_date</code> is encoded in the data (NULL will try to automatically infer the format, "years" implies that the <code>entry_date</code> is specified as the number of years for which the person has been in the company, "entry_year" implies that the <code>entry_date</code> is specified as the year of the entry date of the person, "entry_date" implies that the age is specified as the date of entry of the person)

**Value**

object of type `analysis_model` with the following elements

<code>params</code> :	The set of original parameters passed to the function
<code>data_original</code> :	The original data passed by the user in the <code>data</code> parameter
<code>data_clean</code> :	The cleaned up data which was used for the analysis
<code>data_errors</code> :	The list of errors which were found upon checking the data
<code>results</code> :	The result of the standard analysis model

**Examples**

```
results <- analysis(data = datalist_example, reference_month = 1,
  reference_year = 2019, usual_weekly_hours = 40, female_spec = "F",
  male_spec = "M", age_spec = "age")
```

---

`build_custom_mapping` *Build column name mappings*

---

### Description

`build_custom_mapping` creates a vector of column name mappings for the user to read her or his custom dataframe

### Usage

```
build_custom_mapping(data, language = "de", prompt_mapping = TRUE)
```

### Arguments

<code>data</code>	the custom dataframe for which the user wants to build a custom mapping
<code>language</code>	a character string representing the language in which the columns will be displayed during the mapping prompt ("de" or "fr" or "it" or "en")
<code>prompt_mapping</code>	a boolean indicating whether the function prompts the user for the exact mapping of his dataframe or whether the columns are mapped automatically by order

### Details

Builds a mapping from the custom column names of a given data.frame to the variable names used in the standard analysis model. If `prompt_mapping` is set to TRUE, the function prompts the mapping for each column of the data.frame. If `prompt_mapping` is set to FALSE, the mapping is built using the order of the columns of the given data.frame.

### Value

A named vector of characters, where the name indicates the column name in the original data.frame and the value indicates the column name as used by the standard analysis model.

---

`datalist_example` *Example datalist*

---

### Description

Fictional dataset containing the necessary information to run an equal pay analysis.

### Usage

```
datalist_example
```

**Format**

A data frame with 318 rows and 23 variables:

**personal\_number** personal number of the employee, alphanumeric,

**age** age, in years,

**sex** sex, 1 = male, 2 = female,

**years\_of\_service** years of service, in years,

**training** training code, 1-8,

**professional\_function** function / job,

**level\_of\_requirements** level of requirements code, 1-4,

**professional\_position** professional position / hierarchy code, 1-5,

**activity\_rate** activity rate, in percent,

**paid\_hours** paid hours, in hours,

**basic\_wage** basic wage, in CHF,

**allowances** allowances, in CHF,

**monthly\_wage\_13** 13th monthly wage, in CHF,

**special\_payments** special payments, in CHF,

**weekly\_hours** weekly contractual hours, in hours,

**annual\_hours** annual contractual hours, in hours,

**population** analysis population code, 1-5,

**comments** comments for the employee,

**supplement1** additional remarks (1 of 5),

**supplement2** additional remarks (2 of 5),

**supplement3** additional remarks (3 of 5),

**supplement4** additional remarks (4 of 5),

**supplement5** additional remarks (5 of 5)

---

download\_datalist      *Download official Excel datalists*

---

**Description**

Downloads an empty version of the latest official Excel datalist in the specified language to the given path.

**Usage**

```
download_datalist(file, language = "de")
```

**Arguments**

file	a character string representing the file path to which the downloaded datalist will be saved.
language	a character string representing the language of the datalist to be download ("de" or "fr" or "it" or "en").

**Value**

None

---

download\_example\_datalist

*Download official filled-in sample Excel datalists*

---

**Description**

Downloads a filled-in version of the latest official Excel datalist in the specified language to the given path.

**Usage**

```
download_example_datalist(file, language = "de")
```

**Arguments**

file	a character string representing the file path to which the downloaded datalist will be saved.
language	a character string representing the language of the datalist to be download ("de" or "fr" or "it" or "en").

**Value**

None

---

read\_data

*Create the dataframe object used for the standard analysis model*

---

**Description**

Reads either a custom dataframe object or an official Excel file (datalist or data export) and transforms it to a dataframe object which can be used for the standard analysis model

**Usage**

```
read_data(
  data_path = NULL,
  custom_data = NULL,
  prompt_mapping = TRUE,
  language = "de"
)
```

**Arguments**

data_path	a string indicating the path for an official Excel file, if this parameter is set to NULL, the function reads the dataframe object provided in the parameter custom_data instead
custom_data	a dataframe which was imported by the user beforehand, if this parameter is set to NULL, the function import the data from the path provided in the parameter data_path instead
prompt_mapping	a boolean indicating whether the function prompts the user for the exact mapping of his dataframe or whether the columns are mapped automatically by order. This parameter is only relevant when custom_data is not set to NULL
language	a character string representing the language in which the columns will be displayed during the mapping prompt ("de" or "fr" or "it" or "en"). This parameter is only relevant when custom_data is not set to NULL

**Details**

Exactly one of data\_path or custom\_data must be NULL.

**Value**

a dataframe which can be used to compute the standard analysis model

---

```
summary.analysis_model
```

*Summary of the Salary Analysis*

---

**Description**

Summary of an estimated salary analysis object of class analysis\_model

**Usage**

```
## S3 method for class 'analysis_model'
summary(object, ...)
```

### Arguments

object            estimated salary analysis object of class analysis\_model  
...                further arguments passed to or from other methods

### Details

summary.analysis\_model provides a short summary of the wage analysis according to the Standard Analysis Model. The summary describes the number of records used for the analysis, the Kennedy estimate of the wage difference under otherwise equal circumstances and the summary of the linear regression.

### Value

Nothing

### Examples

```
# Estimate standard analysis model
results <- analysis(data = datalist_example, reference_month = 1,
  reference_year = 2019, usual_weekly_hours = 40, female_spec = "F",
  male_spec = "M", age_spec = "age")

# Show summary of the salary analysis
summary(results)
```

---

transform\_data

*Transform a data.frame according to the requirements of the model*

---

### Description

Transforms specific columns of a data.frame to match the requirements of the standard analysis model.

### Usage

```
transform_data(  
  data,  
  reference_year,  
  usual_weekly_hours,  
  female_spec = "F",  
  male_spec = "M",  
  age_spec = NULL,  
  entry_date_spec = NULL  
)
```



**Arguments**

<code>data</code>	a dataframe object as produced by <code>read_data</code> which is to be transformed
<code>reference_year</code>	a number indicating the reference year of the analysis
<code>usual_weekly_hours</code>	an optional numeric representing the usual weekly working hours
<code>female_spec</code>	a string or number indicating the way females are specified in the dataset.
<code>male_spec</code>	a string or number indicating the way males are specified in the dataset
<code>age_spec</code>	a string indicating the age specification, can be one of <code>NULL</code> , <code>"age"</code> , <code>"birthyear"</code> , or <code>"date_of_birth"</code> . If this parameter is set to <code>NULL</code> , the function automatically tries to infer the specification
<code>entry_date_spec</code>	a string indicating the <code>entry_date</code> specification, can be one of <code>NULL</code> , <code>"years"</code> , <code>"entry_year"</code> , or <code>"entry_date"</code> . If this parameter is set to <code>NULL</code> , the function automatically tries to infer the specification

# Index

## \* datasets

all\_column\_names, 2

datalist\_example, 4

all\_column\_names, 2

analysis, 2

build\_custom\_mapping, 4

datalist\_example, 4

download\_datalist, 5

download\_example\_datalist, 6

read\_data, 6

summary.analysis\_model, 7

transform\_data, 8